



PRECISION ENGINEERING, COMPONENTS AND MACHINERY

METRIC STOCK LIST							
	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
SS-0993-B	20.00	12.00	7.50	0.787	0.472	0.295	HC
005983	20.00	14.00	10.00	0.787	0.551	0.394	HC
005984	20.50	14.00	10.00	0.807	0.551	0.394	HC
SS-0994-B	21.00	13.00	7.50	0.827	0.512	0.295	HC
005985	21.00	15.00	10.00	0.827	0.591	0.394	HC
005986	21.50	15.00	10.00	0.846	0.591	0.394	HC
SS-0995-B	22.00	14.00	7.50	0.866	0.551	0.295	HC
005987	22.00	16.00	10.00	0.866	0.630	0.394	HC
005988	22.50	16.00	10.00	0.886	0.630	0.394	HC
SS-0996-B	23.00	15.00	7.50	0.906	0.591	0.295	HC
005989	23.00	17.00	10.00	0.906	0.669	0.394	HC
005990	23.50	17.00	10.00	0.925	0.669	0.394	HC
SS-0997-B	24.00	16.00	8.00	0.945	0.630	0.315	HC
005991	24.00	18.00	10.00	0.945	0.709	0.394	HC
005992	24.50	18.00	10.00	0.965	0.709	0.394	HC
SS-0998-B	25.00	17.00	8.00	0.984	0.669	0.315	HC
72335	25.00	19.00	8.00	0.984	0.748	0.315	DB
005993	25.00	19.00	10.00	0.984	0.748	0.394	HC
005994	25.50	19.00	10.00	1.004	0.748	0.394	HC
SS-0999-A	26.00	18.00	8.00	1.024	0.709	0.315	NG
SS-0999-B	26.00	18.00	8.00	1.024	0.709	0.315	HC
72336	26.00	20.00	8.00	1.024	0.787	0.315	DB
005995	26.00	20.00	10.00	1.024	0.787	0.394	HC
005996	26.50	20.00	10.00	1.043	0.787	0.394	HC
SS-1000-A	27.00	19.00	8.00	1.063	0.748	0.315	NG
SS-1000-B	27.00	19.00	8.00	1.063	0.748	0.315	HC
PC-1063E-1	27.00	19.00	3.45	1.063	0.748	0.136	HC
005997	27.00	21.00	10.00	1.063	0.827	0.394	HC
72337	27.00	21.00	10.00	1.063	0.827	0.394	DB
005998	27.50	21.00	10.00	1.083	0.827	0.394	HC
71168	28.00	20.00	8.00	1.102	0.787	0.315	DB
SS-1001-A	28.00	20.00	8.00	1.102	0.787	0.315	NG
SS-1001-B	28.00	20.00	8.00	1.102	0.787	0.315	HC
005999	28.00	22.00	10.00	1.102	0.866	0.394	HC
39006	28.00	22.00	10.00	1.102	0.866	0.394	DB

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
79006	28.00	22.00	10.00	1.102	0.866	0.394	DB
006000	28.50	22.00	10.00	1.122	0.866	0.394	HC
39007	28.50	22.00	10.00	1.122	0.866	0.394	DB
79007	28.50	22.00	10.00	1.122	0.866	0.394	DB
71169	29.00	21.00	8.50	1.142	0.827	0.335	DB
SS-1001S-A	29.00	21.00	8.50	1.142	0.827	0.335	NG
SS-1001S-B	29.00	21.00	8.50	1.142	0.827	0.335	HC
006001	29.00	23.00	10.00	1.142	0.906	0.394	HC
39008	29.00	23.00	10.00	1.142	0.906	0.394	DB
79008	29.00	23.00	10.00	1.142	0.906	0.394	DB
71410	29.20	23.00	6.50	1.150	0.906	0.256	DB
006002	29.50	23.00	10.00	1.161	0.906	0.394	HC
39009	29.50	23.00	10.00	1.161	0.906	0.394	DB
70009	29.50	23.00	10.00	1.161	0.906	10.000	DB
010483	30.00	20.00	10.00	1.181	0.787	0.394	HC
31170	30.00	22.00	8.00	1.181	0.866	0.315	DB
71170	30.00	22.00	8.50	1.181	0.866	0.335	DB
SS-1002-A	30.00	22.00	8.50	1.181	0.866	0.335	NG
SS-1002-B	30.00	22.00	8.50	1.181	0.866	0.335	HC
006003	30.00	23.00	10.00	1.181	0.906	0.394	HC
39010	30.00	23.00	10.00	1.181	0.906	0.394	DB
S-3322	30.00	25.48	5.85	1.181	1.003	0.230	TN
SS-0491-A	30.20	23.80	8.50	1.189	0.937	0.335	NG
006004	30.50	23.00	10.00	1.201	0.906	0.394	HC
39012	30.50	23.00	10.00	1.201	0.906	0.394	DB
79012	30.50	23.00	10.00	1.201	0.906	0.394	DB
72106	30.90	25.00	6.35	1.217	0.984	0.250	DB
010484	31.00	21.00	10.00	1.220	0.827	0.394	HC
71171	31.00	23.00	8.50	1.220	0.906	0.335	DB
SS-1003-A	31.00	23.00	8.50	1.220	0.906	0.335	NG
SS-1003-B	31.00	23.00	8.50	1.220	0.906	0.335	HC
006005	31.00	24.00	10.00	1.220	0.945	0.394	HC
39013	31.00	24.00	10.00	1.220	0.945	0.394	DB
79013	31.00	24.00	10.00	1.220	0.945	0.394	DB
71448	31.00	25.00	6.00	1.220	0.984	0.236	DB
SS-0492-A	31.13	24.00	9.00	1.226	0.945	0.354	NG
SS-0465-A	31.20	25.60	5.40	1.228	1.008	0.213	NG
006006	31.50	24.00	10.00	1.240	0.945	0.394	HC
39015	31.50	24.00	10.00	1.240	0.945	0.394	DB
79015	31.50	24.00	10.00	1.240	0.945	0.394	DB
SS-0471-A	31.50	25.70	6.20	1.240	1.012	0.244	NG

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
32501	31.82	27.55	6.28	1.253	1.085	0.247	DB
010485	32.00	22.00	10.00	1.260	0.866	0.394	HC
39017	32.00	22.00	10.00	1.260	0.866	0.394	DB
79017	32.00	22.00	10.00	1.260	0.866	0.394	DB
32517	32.00	24.00	6.00	1.260	0.945	0.235	DB
72381	32.00	24.00	6.60	1.260	0.945	0.259	DB
71172	32.00	24.00	8.50	1.260	0.945	0.335	DB
SS-1004-A	32.00	24.00	8.50	1.260	0.945	0.335	NG
SS-1004-B	32.00	24.00	8.50	1.260	0.945	0.335	HC
71808	32.00	25.00	8.00	1.260	0.984	0.315	DB
006007	32.00	25.00	10.00	1.260	0.984	0.394	HC
39016	32.00	25.00	10.00	1.260	0.984	0.394	DB
79016	32.00	25.00	10.00	1.260	0.984	0.394	DB
006008	32.50	25.00	10.00	1.280	0.984	0.394	HC
39018	32.50	25.00	10.00	1.280	0.984	0.394	DB
79018	32.50	25.00	10.00	1.280	0.984	0.394	DB
71006	32.65	25.50	8.00	1.285	1.004	0.315	DB
010486	33.00	23.00	10.00	1.299	0.906	0.394	HC
31173	33.00	25.00	8.50	1.299	0.984	0.335	DB
71173	33.00	25.00	8.50	1.299	0.984	0.335	DB
SS-1005-A	33.00	25.00	8.50	1.299	0.984	0.335	NG
SS-1005-B	33.00	25.00	8.50	1.299	0.984	0.335	HC
006009	33.00	26.00	10.00	1.299	1.024	0.394	HC
T-1510	33.00	26.16	6.35	1.299	1.030	0.250	TN
006010	33.50	26.00	10.00	1.319	1.024	0.394	HC
39021	33.50	26.00	10.00	1.319	1.024	0.394	DB
79021	33.50	26.00	10.00	1.319	1.024	0.394	DB
010487	34.00	24.00	10.00	1.339	0.945	0.394	HC
39023	34.00	24.00	10.00	1.339	0.945	0.394	DB
79023	34.00	24.00	10.00	1.339	0.945	0.394	DB
31174	34.00	26.00	8.50	1.339	1.024	0.335	DB
71174	34.00	26.00	8.50	1.339	1.024	0.335	DB
SS-1006-A	34.00	26.00	8.50	1.339	1.024	0.335	NG
SS-1006-B	34.00	26.00	8.50	1.339	1.024	0.335	HC
006011	34.00	27.00	10.00	1.339	1.063	0.394	HC
31273	34.00	27.00	10.00	1.339	1.063	0.394	DB
71273	34.00	27.00	10.00	1.339	1.063	0.394	DB
79073	34.00	28.00	8.00	1.339	1.102	0.315	DB
SS-0490-A	34.20	27.20	9.00	1.346	1.071	0.354	NG
006012	34.50	27.00	10.00	1.358	1.063	0.394	HC
39024	34.50	27.00	10.00	1.358	1.063	0.394	DB

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
79024	34.50	27.00	10.00	1.358	1.063	0.394	DB
SS-0358-A	34.80	28.00	6.50	1.370	1.102	0.256	NG
010488	35.00	25.00	10.00	1.378	0.984	0.394	HC
31175	35.00	26.00	9.00	1.378	1.024	0.354	DB
71175	35.00	26.00	9.00	1.378	1.024	0.354	DB
SS-1007-A	35.00	26.00	9.00	1.378	1.024	0.354	NG
SS-1007-B	35.00	26.00	9.00	1.378	1.024	0.354	HC
PC-1378E-10	35.00	28.00	5.84	1.378	1.122	0.230	HC
006013	35.00	28.00	10.00	1.378	1.102	0.394	HC
SS-0362-A	35.00	29.30	7.70	1.378	1.154	0.303	
VS1382	35.12	26.97	8.89	1.382	1.062	0.350	TN
VS-0501-A	35.20	28.90	8.00	1.389	1.138	0.315	NG
32525	35.50	28.00	6.00	1.398	1.102	0.236	DB
006014	35.50	28.00	10.00	1.398	1.102	0.394	HC
39027	35.50	28.00	10.00	1.398	1.102	0.394	DB
79027	35.50	28.00	10.00	1.398	1.102	0.394	DB
SS-0481-A	35.70	29.80	10.00	1.406	1.173	0.394	NG
PC-1410E-1	35.81	29.00	3.96	1.410	1.142	0.156	HC
VS-1412	35.86	27.94	10.23	1.412	1.100	0.403	HC
010489	36.00	26.00	10.00	1.417	1.024	0.394	HC
31176	36.00	27.00	9.00	1.417	1.063	0.354	DB
71176	36.00	27.00	9.00	1.417	1.063	0.354	DB
SS-1008-A	36.00	27.00	9.00	1.417	1.063	0.354	NG
SS-1008-B	36.00	27.00	9.00	1.417	1.063	0.354	HC
T-8016	36.00	27.00	9.00	1.417	1.063	0.354	TN
006015	36.00	29.00	10.00	1.417	1.142	0.394	HC
39028	36.00	29.00	10.00	1.417	1.142	0.394	DB
79028	36.00	29.00	10.00	1.417	1.142	0.394	DB
PC-1417E-5	36.00	31.00	5.00	1.417	1.220	0.197	HC
S-1418	36.01	30.17	5.56	1.418	1.188	0.219	TN
PC-1430E-5	36.32	25.58	9.14	1.430	1.007	0.360	HC
006016	36.50	29.00	10.00	1.437	1.142	0.394	HC
39030	36.50	29.00	10.00	1.437	1.142	0.394	DB
79030	36.50	29.00	10.00	1.437	1.142	0.394	DB
31030	36.50	30.15	5.54	1.437	1.187	0.218	DB
010490	37.00	27.00	10.00	1.457	1.063	0.394	HC
31068	37.00	28.00	9.00	1.457	1.102	0.354	DB
71068	37.00	28.00	9.00	1.457	1.102	0.354	DB
SS-1009-A	37.00	28.00	9.00	1.457	1.102	0.354	NG
SS-1009-B	37.00	28.00	9.00	1.457	1.102	0.354	HC
T-8018	37.00	28.00	9.00	1.457	1.102	0.354	TN

AUGUST 2024

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
31069	37.00	30.00	8.00	1.457	1.181	0.315	DB
71069	37.00	30.00	8.00	1.457	1.181	0.315	DB
77439	37.00	30.00	8.00	1.457	1.181	0.315	DB
006017	37.00	30.00	10.00	1.457	1.181	0.394	HC
39031	37.00	30.00	10.00	1.457	1.181	0.394	DB
79031	37.00	30.00	10.00	1.457	1.181	0.394	DB
S-2661	37.00	32.00	10.00	1.457	1.260	0.394	TN
32500	37.10	32.50	6.28	1.461	1.280	0.247	DB
006018	37.50	30.00	10.00	1.476	1.181	0.394	HC
39033	37.50	30.00	10.00	1.476	1.181	0.394	DB
VS-1481	37.59	30.86	7.92	1.480	1.215	0.312	HC
010491	38.00	28.00	10.00	1.496	1.102	0.394	HC
39035	38.00	28.00	10.00	1.496	1.102	0.394	DB
79035	38.00	28.00	10.00	1.496	1.102	0.394	DB
SS-1010-A	38.00	29.00	9.00	1.496	1.142	0.354	NG
SS-1010-B	38.00	29.00	9.00	1.496	1.142	0.354	HC
T-8020	38.00	29.00	9.00	1.496	1.142	0.354	TN
31178	38.00	29.00	9.00	1.496	1.142	0.354	DB
71178	38.00	29.00	9.00	1.496	1.142	0.354	DB
006019	38.00	31.00	10.00	1.496	1.220	0.394	HC
31276	38.00	31.00	10.00	1.496	1.220	0.394	DB
71276	38.00	31.00	10.00	1.496	1.220	0.394	DB
S-546	38.00	33.50	9.00	1.496	1.319	0.354	TN
006020	38.50	31.00	10.00	1.516	1.220	0.394	HC
006020-Mod	38.50	33.00	10.00	1.516	1.299	0.394	HC
39036	38.50	31.00	10.00	1.516	1.220	0.394	DB
79036	38.50	31.00	10.00	1.516	1.220	0.394	DB
VS-1530	38.86	30.93	10.26	1.530	1.218	0.404	HC
010492	39.00	29.00	10.00	1.535	1.142	0.394	HC
39038	39.00	29.00	10.00	1.535	1.142	0.394	DB
79038	39.00	29.00	10.00	1.535	1.142	0.394	DB
31179	39.00	30.00	9.00	1.535	1.181	0.354	DB
71179	39.00	30.00	9.00	1.535	1.181	0.354	DB
SS-1011-A	39.00	30.00	9.00	1.535	1.181	0.354	NG
SS-1011-B	39.00	30.00	9.00	1.535	1.181	0.354	HC
PC-1535E-10	39.00	30.60	5.80	1.535	1.205	0.228	HC
SS-0500-A	39.00	30.80	10.00	1.535	1.213	0.394	NG
006021	39.00	32.00	10.00	1.535	1.260	0.394	HC
79037	39.00	32.00	10.00	1.535	1.260	0.394	DB
006022	39.50	32.00	10.00	1.555	1.260	0.394	HC
39039	39.50	32.00	10.00	1.555	1.260	0.394	DB

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
010493	40.00	29.00	10.00	1.575	1.142	0.394	HC
31181	40.00	30.00	9.50	1.575	1.181	0.374	DB
71181	40.00	30.00	9.50	1.575	1.181	0.374	DB
SS-1012-A	40.00	30.00	9.50	1.575	1.181	0.374	NG
SS-1012-B	40.00	30.00	9.50	1.575	1.181	0.374	HC
006023	40.00	32.00	10.00	1.575	1.260	0.394	HC
006024	40.50	32.00	10.00	1.594	1.260	0.394	HC
39042	40.50	32.00	10.00	1.594	1.260	0.394	DB
79042	40.50	32.00	10.00	1.594	1.260	0.394	DB
010494	41.00	30.00	10.00	1.614	1.181	0.394	HC
39044	41.00	30.00	10.00	1.614	1.181	0.394	DB
79044	41.00	30.00	10.00	1.614	1.181	0.394	DB
SS-1013-A	41.00	31.00	9.50	1.614	1.220	0.374	NG
SS-1013-B	41.00	31.00	9.50	1.614	1.220	0.374	HC
T-8026	41.00	31.00	9.50	1.614	1.220	0.374	TN
006025	41.00	33.00	10.00	1.614	1.299	0.394	HC
39043	41.00	33.00	10.00	1.614	1.299	0.394	DB
79043	41.00	33.00	10.00	1.614	1.299	0.394	DB
71437	41.20	33.50	6.60	1.622	1.319	0.260	DB
006026	41.50	33.00	10.00	1.634	1.299	0.394	HC
39045	41.50	33.00	10.00	1.634	1.299	0.394	DB
79045	41.50	33.00	10.00	1.634	1.299	0.394	DB
30864	41.78	34.93	6.35	1.645	1.375	0.250	DB
70864	41.78	34.93	6.35	1.645	1.375	0.250	DB
010495	42.00	31.00	10.00	1.654	1.220	0.394	HC
31183	42.00	32.00	9.50	1.654	1.260	0.374	DB
71183	42.00	32.00	9.50	1.654	1.260	0.374	DB
SS-1014-A	42.00	32.00	9.50	1.654	1.260	0.374	NG
SS-1014-B	42.00	32.00	9.50	1.654	1.260	0.374	HC
006027	42.00	34.00	10.00	1.654	1.339	0.394	HC
PC-1654E-1N	42.00	34.72	7.92	1.654	1.367	0.312	NG
SS-0356-A	42.30	35.50	6.70	1.665	1.398	0.264	NG
T-876	42.46	33.32	5.54	1.672	1.312	0.218	HT
006028	42.50	34.00	10.00	1.673	1.339	0.394	HC
39048	42.50	34.00	10.00	1.673	1.339	0.394	DB
79048	42.50	34.00	10.00	1.673	1.339	0.394	DB
010496	43.00	32.00	10.00	1.693	1.260	0.394	HC
79050	43.00	32.00	10.00	1.693	1.260	0.394	DB
SS-1015-B/S	43.00	33.00	5.60	1.693	1.299	0.220	HC
SS-1015-A	43.00	33.00	9.50	1.693	1.299	0.374	NG
SS-1015-B	43.00	33.00	9.50	1.693	1.299	0.374	HC

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
006029	43.00	35.00	10.00	1.693	1.378	0.394	HC
39049	43.00	35.00	10.00	1.693	1.378	0.394	DB
SS-1015-B/T1	43.00	36.50	9.30	1.693	1.437	0.366	HC
SS-1015-B/T2	43.00	36.50	9.55	1.693	1.437	0.376	HC
006030	43.50	35.00	10.00	1.713	1.378	0.394	HC
39051	43.50	35.00	10.00	1.713	1.378	0.394	DB
79051	43.50	35.00	10.00	1.713	1.378	0.394	DB
PC-1715E-V	43.56	36.96	8.89	1.715	1.455	0.350	HC
010497	44.00	33.00	10.00	1.732	1.299	0.394	HC
PC-1732E-5	44.00	33.00	8.00	1.732	1.299	0.315	HC
PC-1732E-6	44.00	34.00	5.59	1.732	1.339	0.220	HC
PC-1732E-7	44.00	34.00	7.50	1.732	1.339	0.295	HC
31187	44.00	34.00	9.50	1.732	1.339	0.374	DB
71187	44.00	34.00	9.50	1.732	1.339	0.374	DB
SS-1016-A	44.00	34.00	9.50	1.732	1.339	0.374	NG
SS-1016-B	44.00	34.00	9.50	1.732	1.339	0.374	HC
006031	44.00	36.00	10.00	1.732	1.417	0.394	HC
VS-1746	44.35	36.52	9.19	1.746	1.437	0.362	DB
010498	44.50	30.00	10.00	1.752	1.181	0.394	HC
006032	44.50	36.00	10.00	1.752	1.417	0.394	HC
39055	44.50	36.00	11.00	1.752	1.417	0.433	DB
T-2013 SPEC	44.58	35.56	10.21	1.755	1.400	0.402	TN
010499	45.00	34.00	12.00	1.772	1.339	0.472	HC
39058	45.00	34.00	12.00	1.772	1.339	0.472	DB
79058	45.00	34.00	12.00	1.772	1.339	0.472	DB
SS-1017-B-SPL	45.00	34.50	5.60	1.772	1.358	0.220	HC
31227	45.00	34.50	10.00	1.772	1.358	0.394	DB
71227	45.00	34.50	10.00	1.772	1.358	0.394	DB
SS-1017-A	45.00	34.50	10.00	1.772	1.358	0.394	NG
SS-1017-B	45.00	34.50	10.00	1.772	1.358	0.394	HC
79083	45.00	36.00	8.00	1.772	1.417	0.315	DB
006033	45.00	37.00	12.00	1.772	1.457	0.472	HC
79057	45.00	37.00	12.00	1.772	1.457	0.472	DB
013755	45.15	37.00	6.50	1.778	1.457	0.256	HC
T-2024	45.42	38.10	7.62	1.788	1.500	0.300	TN
006034	45.50	37.00	12.00	1.791	1.457	0.472	HC
010500	46.00	34.00	12.00	1.811	1.339	0.472	HC
39061	46.00	34.00	12.00	1.811	1.339	0.472	DB
79061	46.00	34.00	12.00	1.811	1.339	0.472	DB
71188	46.00	35.50	10.00	1.811	1.398	0.394	DB
SS-1018-A	46.00	35.50	10.00	1.811	1.398	0.394	NG

AUGUST 2024

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
SS-1018-B	46.00	35.50	10.00	1.811	1.398	0.394	HC
013758	46.00	38.00	8.50	1.811	1.496	0.335	HC
006035	46.00	38.00	12.00	1.811	1.496	0.472	HC
39060	46.00	38.00	12.00	1.811	1.496	0.472	DB
79060	46.00	38.00	12.00	1.811	1.496	0.472	DB
S-2013+	46.23	35.56	11.10	1.820	1.400	0.437	TN
006036	46.50	38.00	12.00	1.831	1.496	0.472	HC
39062	46.50	38.00	12.00	1.831	1.496	0.472	DB
010344	47.00	35.00	9.00	1.850	1.378	0.354	HC
010501	47.00	36.00	12.00	1.850	1.417	0.472	HC
79065	47.00	36.00	12.00	1.850	1.417	0.472	DB
71228	47.00	36.50	10.00	1.850	1.437	0.394	DB
SS-1019-A	47.00	36.50	10.00	1.850	1.437	0.394	NG
SS-1019-B	47.00	36.50	10.00	1.850	1.437	0.394	HC
006037	47.00	39.00	12.00	1.850	1.535	0.472	HC
006038	47.50	39.00	12.00	1.870	1.535	0.472	HC
39066	47.50	39.00	12.00	1.870	1.535	0.472	DB
79066	47.50	39.00	12.00	1.870	1.535	0.472	DB
013760	47.60	41.00	7.00	1.874	1.614	0.276	HC
010502	48.00	37.00	12.00	1.890	1.457	0.472	HC
39069	48.00	37.00	12.00	1.890	1.457	0.472	DB
71189	48.00	37.50	10.00	1.890	1.476	0.394	DB
SS-1020-A	48.00	37.50	10.00	1.890	1.476	0.394	NG
SS-1020-B	48.00	37.50	10.00	1.890	1.476	0.394	HC
PC-1890E-5	48.00	38.75	8.39	1.890	1.526	0.330	HC
006039	48.00	40.00	12.00	1.890	1.575	0.472	HC
79067	48.00	40.00	12.00	1.890	1.575	0.472	DB
S-2877	48.00	40.10	8.00	1.890	1.579	0.315	TN
S-3254	48.33	41.28	7.14	1.903	1.625	0.281	TN
010506	48.50	40.00	12.00	1.909	1.575	0.472	HC
PC-1912E-1	48.56	41.28	7.14	1.912	1.625	0.281	HC
71746	48.56	41.28	7.14	1.912	1.625	0.281	DB
010503	49.00	38.00	12.00	1.929	1.496	0.472	HC
31190	49.00	38.50	10.00	1.929	1.516	0.394	DB
71190	49.00	38.50	10.00	1.929	1.516	0.394	DB
SS-1021-A	49.00	38.50	10.00	1.929	1.516	0.394	NG
SS-1021-B	49.00	38.50	10.00	1.929	1.516	0.394	HC
006040	49.00	41.00	12.00	1.929	1.614	0.472	HC
009804	49.50	42.00	11.00	1.949	1.654	0.433	HC
TP974-RAD	49.70	43.43	9.32	1.957	1.710	0.367	HC
010504	50.00	38.00	12.00	1.969	1.496	0.472	HC

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
71192	50.00	39.00	10.50	1.969	1.535	0.413	DB
SS-1022-A	50.00	39.00	10.50	1.969	1.535	0.413	NG
SS-1022-B	50.00	39.00	10.50	1.969	1.535	0.413	HC
006041	50.00	41.00	12.00	1.969	1.614	0.472	HC
72040	50.00	43.00	7.50	1.969	1.693	0.295	DB
72332	50.31	43.00	10.20	1.981	1.693	0.402	DB
71193	51.00	40.00	10.50	2.008	1.575	0.413	DB
SS-1023-A	51.00	40.00	10.50	2.008	1.575	0.413	NG
SS-1023-B	51.00	40.00	10.50	2.008	1.575	0.413	HC
010507	51.00	42.00	12.00	2.008	1.654	0.472	HC
010508	51.00	49.00	12.00	2.008	1.929	0.472	HC
72277	51.33	40.28	7.16	2.021	1.586	0.282	DB
S-5305	51.69	43.90	13.21	2.035	1.728	0.520	TN
009729	52.00	40.00	12.00	2.047	1.575	0.472	HC
SS-1024-A	52.00	41.00	10.50	2.047	1.614	0.413	NG
SS-1024-B	52.00	41.00	10.50	2.047	1.614	0.413	HC
010509	53.00	41.00	12.00	2.087	1.614	0.472	HC
31195	53.00	42.00	10.50	2.087	1.654	0.413	DB
71195	53.00	42.00	10.50	2.087	1.654	0.413	DB
SS-1025-A	53.00	42.00	10.50	2.087	1.654	0.413	NG
SS-1025-B	53.00	42.00	10.50	2.087	1.654	0.413	HC
T-8050	53.00	42.00	10.50	2.087	1.654	0.413	TN
31475	53.09	43.10	9.70	2.090	1.697	0.382	DB
013687	53.25	42.00	10.50	2.096	1.654	0.413	HC
010510	54.00	42.00	12.00	2.126	1.654	0.472	HC
SS-1026-A	54.00	43.00	10.50	2.126	1.693	0.413	NG
SS-1026-B	54.00	43.00	10.50	2.126	1.693	0.413	HC
013754	54.15	46.00	6.50	2.132	1.811	0.256	HC
010511	55.00	43.00	13.00	2.165	1.693	0.512	HC
31783	55.00	44.00	11.00	2.165	1.732	0.433	HC
SS-1027-A	55.00	44.00	11.00	2.165	1.732	0.433	NG
SS-1027-B	55.00	44.00	11.00	2.165	1.732	0.433	HC
010346	55.00	44.00	12.00	2.165	1.732	0.472	HC
010512	56.00	44.00	13.00	2.205	1.732	0.512	HC
SS-1028-A	56.00	45.00	11.00	2.205	1.772	0.433	NG
009730	57.00	45.00	12.00	2.244	1.772	0.472	HC
010513	57.00	45.00	13.00	2.244	1.772	0.512	HC
32499	57.00	45.72	9.14	2.244	1.800	0.360	DB
32498	57.00	46.00	11.00	2.244	1.811	0.433	DB
SS-1029-A	57.00	46.00	11.00	2.244	1.811	0.433	NG

	Metric			Imperial			
Part Number	OD	ID	Depth	OD	ID	Depth	Type
SS-1029-B	57.00	46.00	11.00	2.244	1.811	0.433	HC
010514	58.00	46.00	13.00	2.283	1.811	0.512	HC
SS-1030-A	58.00	47.00	11.00	2.283	1.850	0.433	NG
SS-1030-B	58.00	47.00	11.00	2.283	1.850	0.433	HC
T-2710-Mod	59.00	38.80	12.00	2.323	1.528	0.472	TN
010515	59.00	47.00	13.00	2.323	1.850	0.512	HC
SS-1031-A	59.00	48.00	11.00	2.323	1.890	0.433	NG
SS-1031-B	59.00	48.00	11.00	2.323	1.890	0.433	HC
010516	60.00	46.00	13.00	2.362	1.811	0.512	HC
SS-1032-A	60.00	48.00	11.50	2.362	1.890	0.453	NG
SS-1032-B	60.00	48.00	11.50	2.362	1.890	0.453	HC
SS-1033-A	61.00	49.00	11.50	2.402	1.929	0.453	NG
SS-1033-B	61.00	49.00	11.50	2.402	1.929	0.453	HC
T-8066	61.00	49.00	11.50	2.402	1.929	0.453	TN
014783	62.00	48.00	13.00	2.441	1.890	0.512	HC
SS-1034-A	62.00	50.00	11.50	2.441	1.969	0.453	NG
SS-1034-B	62.00	50.00	11.50	2.441	1.969	0.453	HC
SS-1035-A	63.00	51.00	11.50	2.480	2.008	0.453	NG
SS-1035-B	63.00	51.00	11.50	2.480	2.008	0.453	HC
014785	64.00	50.00	13.00	2.520	1.969	0.512	HC
SS-1036-A	64.00	52.00	11.50	2.520	2.047	0.453	NG
SS-1036-B	64.00	52.00	11.50	2.520	2.047	0.453	HC
014786	65.00	51.00	13.00	2.559	2.008	0.512	HC
SS-1037-A	65.00	53.00	11.50	2.559	2.087	0.453	NG
SS-1037-B	65.00	53.00	11.50	2.559	2.087	0.453	HC
SS-1038-A	68.00	55.00	12.00	1.772	1.358	0.394	NG
SS-1038-B	68.00	55.00	12.00	1.339	1.024	0.335	DB
SS-1039-A	70.00	57.00	12.00	2.756	2.244	0.472	NG
SS-1039-B	70.00	57.00	12.00	2.756	2.244	0.472	HC

Suitable For Unleaded Fuel
 Suitable For Unleaded & LPG

HC = High Chrome
NG = High Nickel
DB = Sintered
TN = High Tungsten